Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A system for resource configuration in a multi-modal distributed computing system having at least one resource capable of being configured, the system comprising:

an arrangement for obtaining <u>contextual</u> information associated with a mobile device within the system;

an arrangement for obtaining information associated with the system;

an arrangement for configuring said at least one resource based upon the information associated with the mobile device and the system;

wherein the resource is configured to provide the most appropriate mode of interaction for a user of the <u>mobile device within the</u> system; and

wherein the mobile device is capable of utilizing the resource based on the interaction needs of the user;

wherein the system is a multi-modal distributed computing system.

2. **(Currently Amended)** The system according to Claim 1, wherein said contextual information associated with the mobile device further comprises includes

information associated with the needs of the user of the mobile device, said information associated with the needs of the user comprising: ,the location of the mobile device, and the environment in which the mobile device is located

preferences of the user, wherein said preferences of the user comprise:

past instructions of the user; and

a history of modifications employed by a user; and

direct indications from the user.

- 3. **(Currently Amended)** The system according to Claim 1, wherein said information associated with the system includes information associated with the capabilities of <u>other</u> devices <u>located</u> within the system, <u>and further wherein said mobile</u> device is adapted to utilize the capabilities of the other devices located within the system.
- 4. **(Currently Amended)** The system according to Claim 1, wherein said information associated with the system includes information associated with characteristics of the <u>an</u> environment in which the system is located.
- 5. (Currently Amended) The system according to Claim 4 2, wherein said characteristics of the environment in which the system is located are current characteristics said user preferences are determined exclusively via historical data without reference to a specific context in which the mobile device is being used.

- 6. (Currently Amended) The system according to Claim 4 3, wherein the at least one resource to be is configured is an interface resource to allow the user operating an audio-only device to utilize a display resource of another device within the system.
- 7. **(Original)** The system according to Claim 1, wherein the at least one resource to be configured is a computing resource.
- 8. (Currently Amended) The system according to Claim 7 6, wherein the computing resource configured is an application audio-only device is a mobile phone and the display device is a monitor in a conference room.
- 9. **(Original)** The system according to Claim 8, wherein the application has multiple configurations and the application is configured to be most appropriate for the environment in which the mobile device is located.
- 10. **(Original)** The system according to Claim 1, wherein the at least one resource to be configured is an information resource.
- 11. **(Currently Amended)** A method for resource configuration in a multi-modal distributed-computing system having at least one resource capable of being configured, the method comprising the steps of:

obtaining <u>contextual</u> information associated with a mobile device within the system;

obtaining information associated with the system;

configuring said at least one resource based upon the information associated with the mobile device and the system;

wherein the resource is configured to provide the most appropriate mode of interaction for a user of the mobile device within the system; and

wherein the mobile device is capable of utilizing the resource based on the interaction needs of the user:

wherein the system is a multi-modal distributed computing system.

12. (Currently Amended) The method according to Claim 11, wherein said contextual information associated with the mobile device <u>further comprises</u> includes contextual information associated with the needs of the user of the mobile device, <u>said</u> information associated with needs of the user comprising: , the location of the mobile device, and the environment in which the mobile device is located

preferences of the user, wherein said preferences of the user comprise:

past instructions of the user; and

a history of modifications employed by the user; and

direct indications from the user.

13. (Currently Amended) The method according to Claim 11, wherein said information associated with the system includes information associated with the

capabilities of <u>other</u> devices within the system, <u>wherein said mobile device is adapted to</u> <u>utilize the capabilities of the other devices with the system.</u>

- 14. **(Currently Amended)** The method according to Claim 11, wherein said information associated with the system includes information associated with characteristics of the an environment in which the system is located.
- 15. (Currently Amended) The method according to Claim 44 12, wherein said characteristics of the environment in which the system is located are current characteristics said user preferences are determined exclusively via historical data without reference to a specific context in which the mobile device is being used.
- 16. (Currently Amended) The method according to Claim 11 13, wherein the at least one resource to be is configured is an interface resource allow the user operating an audio-only device to utilize a display resource of another device within the system.
- 17. **(Original)** The method according to Claim 11, wherein the at least one resource to be configured is a computing resource.
- 18. **(Currently Amended)** The method according to Claim 47 <u>16</u>, wherein the computing resource is an application audio-only device is a mobile phone and the display device is a monitor in a conference room.
- 19. **(Original)** The method according to Claim 18, wherein the application has multiple configurations and the application is configured to be most appropriate for the environment in which the mobile device is located.

- 20. **(Original)** The method according to Claim 11, wherein the at least one resource to be configured is an information resource.
- 21. **(Currently Amended)** A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform a method for resource configuration in a multi-modal distributed computing system having at least one resource capable of being configured, the method comprising the steps of:

obtaining <u>contextual</u> information associated with a mobile device within the system;

obtaining information associated with the system;

configuring said at least one resource based upon the information associated with the mobile device and the system;

wherein the resource is configured to provide the most appropriate mode of interaction for a user of the mobile device within the system; and

wherein the mobile device is capable of utilizing the resource based on the interaction needs of the user;

wherein the system is a multi-modal distributed computing system.

22. (New) The system according to claim 1 wherein said contextual information comprises:

a date associated with the mobile device; and

a time associated with the mobile device.